



metroSTOR B-Series Wheeled Dumpster Enclosures

metroSTOR B-Series is the tough, neat, customizable solution for medium-volume containerized storage of solid waste between collections.

Manufactured in eight model sizes, metroSTOR BC units fit 65 to 95 gallon carts and BD units the wheeled dumpsters in 0.75 yd, 1.5 yd, 2 yd and 3 yd sizes. The cart or dumpster is enclosed with the lid open (or removed) so that trash or recycling is placed 'touch free' into the open container through the front-load door aperture. Trash collection crews access the unit via dual service doors fitted with slam locks for easy transfer of dumpster to garbage truck.


The central door opening with floor-mounted guide bars for the dumpster and internal deflector plates keeps trash in the dumpster and not on the floor, minimizing issues with rodents and scavenging birds. Customized waste diversion is easy with metroSTOR B-Series, with its color-coded panels, clear recycling graphics and options to add waste stream apertures that restrict items placed in the dumpster.

For sites where bagged waste is collected, the B-Series is also available as a bagged waste enclosure, including single-access units and dual sided access door variants. User deposit access doors (K and ESK) apply to selected BD dumpster units.

For drop off sites where co-located trash and recycling is required, metroSTOR B-Series can be specified to form a series of enclosures and adjustable base plates mean the units can be stepped in height for uneven surfaces.

With over 20,000 units in service, metroSTOR products deliver reliable waste and recycling infrastructure and the 12 month manufacturer's warranty is backed on site by our service partners to ensure metroSTOR installations can be maintained in service for the long term.

Product Range



Dual Cart

Dumpster Enclosure

Dumpster Enclosure End Load (E)

Dumpster Enclosure (ESK/K)

Bagged Enclosure

Front-Access Deposit Hatch

Front-Access Deposit Hatch

End Load Access Door

(Self Close) User Deposit Access Door

Bagged Waste Unit (BG) or w/
Dual Sided Access Doors (BGD)


Product Capacity & Dimensions



Model	Description	User Deposit Access	Access	ADA Compliant	Depth (Inches)	Width (Inches)	Height (Inches)
BC 130	2x 65 gal Cart Enclosure	Front	Dual	✓	39.3	62	57.9
BC 190	2x 95 gal Cart Enclosure	Front	Dual	✓	43.5	73	59.2



Model	Description	User Deposit Access	Access	ADA Compliant	Depth (Inches)	Width (Inches)	Height (Inches)
BD 200	0.75 yd Dumpster (1100L EU Dumpster) / Container Enclosure	Front	Single	✓	—	—	—
BD 300	1.5 yd Dumpster Enclosure	Front	Dual	✓	—	—	—
BD 400	2 yd Dumpster Enclosure	Front	Dual	✓	56.7	100.8	69.1
BD 400 E	2 yd Dumpster Enclosure End Load	Front	Single	✓	56.7	100.8	69.1
BD 400 ESK	2 yd Dumpster Enclosure End Load with Self Close User Deposit Access Door	Front	Single	✓	56.7	100.8	69.1
BD 400 K	2 yd Dumpster Enclosure with User Deposit Access Doors	Front	Dual	✓	56.7	100.8	69.1
BD 600	3 yd Dumpster Enclosure	Front	Dual	✗	60.2	100.8	75.5
BD 600 K	3 yd Dumpster Enclosure with User Deposit Access Doors	Front	Dual	✗	60.2	100.8	75.5
BD 800	3 yd Dumpster Enclosure	Front	Dual	✗	68.1	100.8	81
BD 800 K	3 yd Dumpster Enclosure with User Deposit Access Doors	Front	Dual	✗	68.1	100.8	81



N/A	Capacity	Container Load Type (Inches, WxH)	ADA Compliance	Depth (Inches)	Width (Inches)	Height (Inches)	Access
BG 400	1530 L Capacity Bagged Waste Unit	Front	N/A	N/A	56.7	100.8	69.1
BG 400 D	1530 L Capacity Bagged Waste Unit with Dual Sided Access Doors	Dual	N/A	N/A	56.7	100.8	69.1
BG 600	2300 L Capacity Bagged Waste Unit	Front	N/A	N/A	60.2	100.8	75.5
BG 600 D	2300 L Capacity Bagged Waste Unit with Dual Sided Access Doors	Dual	N/A	N/A	60.2	100.8	75.5



Welcome To The metroSTOR Family

Consistent, customizable enclosure design series from small carts to large dumpsters



Maximize Waste Stream Diversification

Front-load enclosure design with options to restrict dumpster access for recyclable materials



Co-Locate Trash & Recycling

Clear graphics and symbols for waste diversion at source

Product Specification & Options

Build Components	Build Specification	Standard Specification	Options
A) Unit Frames	Mild Steel Welded Assemblies	HD Galvanized	A1) Anthracite Grey PPC Finish
B) Unit Shell Panels	Mild Steel Assembly	Zinc Coat / Anthracite Grey Painted Finish	B1) Color PPC Finish Options (Upper Panels Rear) B2) Omit Anti-Graffiti Hole Pattern
C) Unit Cover	Mild Steel Welded Assembly	Zinc Coat / Anthracite Grey Painted Finish	
D) Bin Container Access	Mild Steel Assembly / Zinc Coated Mild Steel Bezel	Zinc Coated Rectangular Front Aperture / No Insert	D1) Mixed Recycling Aperture Insert Option D2) Bottles & Cans Recycling Aperture Insert Option D3) Paper & Cardboard Aperture Insert
F) Service Doors	Mild Steel Welded Assembly / Dual Hinged Doors / HD Galv Cast Hinges / Integral Stainless Steel Drop Bolt	Zinc Coat / Anthracite Grey Painted Finish	F1) Color PPC Finish Options (Upper Panels) F2) PVC Vinyl Graphics
G) Service Door Access	Stainless Steel Square Drive Key / Slam Latch	Stainless Steel Square Drive Key / Slam Latch	

Waste Stream Graphics

metroSTOR door systems with color-coding, graphics, symbols and stream specific aperture restrictors enable organizations to customize to their specific waste diversion process. This modular system that can be retrofitted or changed up as initiatives develop and new legislation is introduced.

Example Signage

