





metroSTOR B-Series Wheeled Dumpster Enclosures

metroSTOR B-Series is the tough, neat, customizable solution for medium-volume containerized storage of solid waste between collections.

Manufactured in eight model sizes, metroSTOR BC units fit 65 to 95 gallon carts and BD units the wheeled dumpsters in 0.75 yd, 1.5 yd, 2 yd and 3 yd sizes. The cart or dumpster is enclosed with the lid open (or removed) so that trash or recycling is placed 'touch free' into the open container through the front-load door aperture. Trash collection crews access the unit via dual service doors fitted with slam locks for easy transfer of dumpster to garbage truck.


The central door opening with floor-mounted guide bars for the dumpster and internal deflector plates keeps trash in the dumpster and not on the floor, minimizing issues with rodents and scavenging birds. Customized waste diversion is easy with metroSTOR B-Series, with its color-coded panels, clear recycling graphics and options to add waste stream apertures that restrict items placed in the dumpster.

For sites where bagged waste is collected, the B-Series is also available as a bagged waste enclosure, including single-access units and dual sided access door variants. User deposit access doors (K and ESK) apply to selected BD dumpster units.

For drop off sites where co-located trash and recycling is required, metroSTOR B-Series can be specified to form a series of enclosures and adjustable base plates mean the units can be stepped in height for uneven surfaces.

With over 20,000 units in service, metroSTOR products deliver reliable waste and recycling infrastructure and the 12 month manufacturer's warranty is backed on site by our service partners to ensure metroSTOR installations can be maintained in service for the long term.

Product Range



Dual Cart

Front-Access Deposit Hatch

Dumpster Enclosure

Front-Access Deposit Hatch

Dumpster Enclosure End Load (E)

End Load Access Door

Dumpster Enclosure (ESK/K)

(Self Close) User Deposit Access Door

Bagged Enclosure

Bagged Waste Unit (BG) or w/ Dual Sided Access Doors (BGD)



Product Capacity & Dimensions



Model	Capacity	Container Load Type (Inches, WxH)	ADA Compliance	Depth (Inches)	Width (Inches)	Height (Inches)	Access
BC130	2x 65 gal. Carts	Dual 15"x10" Front Load Aperture	✓	39.3	62	57.9	2 Doors
BC190	2x 95 gal. Carts	Dual 15"x10" Front Load Aperture	✓	43.5	73	59.2	2 Doors



Model	Capacity	Container Load Type (Inches, WxH)	ADA Compliance	Depth (Inches)	Width (Inches)	Height (Inches)	Access
BD 200	1x 0.75 yd. Dumpster	Single 33"x14" Front Load Aperture	✓	-	-	_	1 Door
BD 300	1x 1.5 yd. Dumpster	Dual 24"x14" Front Load Aperture	✓	=	_	_	2 Doors
BD 400	1x 2 yd. Dumpster	Dual 24"x14" Front Load Aperture	✓	56.7	100.8	69.1	2 Doors
BD 400 E	1x 2 yd. Dumpster	Single 24"x14" Front Load Aperture	✓	56.7	100.8	69.1	1 Door
BD 400 ESK	1x 2 yd. Dumpster	Single 30"x30" Front Load Aperture	✓	56.7	100.8	69.1	1 Door
BD 400 K	1x 2 yd. Dumpster	Dual 30"x30" Front Load Aperture	✓	56.7	100.8	69.1	2 Doors
BD 600	1x 3 yd. Dumpster	Dual 24"x14" Front Load Aperture	✓	60.2	100.8	75.5	2 Doors
BD 600 K	1x 3 yd. Dumpster	Dual 30"x30" Front Load Aperture	✓	60.2	100.8	75.5	2 Doors
BD 800	1x 3 yd. Dumpster	Dual 24"x14" Front Load Aperture	✓	68.1	100.8	81	2 Doors
BD 800 K	1x 3 yd. Dumpster	Dual 30"x30" Front Load Aperture	✓	68.1	100.8	81	2 Doors



Model	Capacity	Container Load Type (Inches, WxH)	ADA Compliance	Depth (Inches)	Width (Inches)	Height (Inches)	Access
BG 400	1 x 1530L Dumpster	Dual Front Load Aperture	×	-	-	_	2 Doors
BG 400 D	1 x 1530L Dumpster	Dual Side Load Aperture	×	-	-	-	4 Doors
BG 600	1 x 2300L Dumpster	Dual Front Load Aperture	×	-	-	_	2 Doors
BG 600 D	1 x 2300L Dumpster	Dual Side Load Aperture	×	-	_		4 Doors







Welcome To The metroSTOR Family

Consistent, customizable enclosure design series from small carts to large dumpsters



Maximize Waste Stream Diversion

Front-load enclosure design with options to restrict dumpster access for recyclable materials



Co-Locate Trash & Recycling

Clear graphics and symbols for waste diversion at source

Product Specification & Options

Build Components	Build Specification	Standard Specification	Options
A) Unit Frames	Mild Steel Welded Assemblies	HD Galvanized	A1) Anthracite Grey PPC Finish
B) Unit Shell Panels	Mild Steel Assembly	Zinc Coat / Anthracite Grey Painted Finish	B1) Color PPC Finish Options (Upper Panels Rear) B2) Omit Anti-Graffiti Hole Pattern
C) Unit Cover	Mild Steel Welded Assembly	Zinc Coat / Anthracite Grey Painted Finish	
D) Bin Container Access	Mild Steel Assembly / Zinc Coated Mild Steel Bezel	Zinc Coated Rectangular Front Aperture / No Insert	D1) Mixed Recycling Aperture Insert Option D2) Bottles & Cans Recycling Aperture Insert Option D3) Paper & Cardboard Aperture Insert
F) Service Doors	Mild Steel Welded Assembly / Dual Hinged Doors / HD Galv Cast Hinges / Integral Stainless Steel Drop Bolt	Zinc Coat / Anthracite Grey Painted Finish	F1) Color PPC Finish Options (Upper Panels) F2) PVC Vinyl Graphics
G) Service Door Access	Stainless Steel Square Drive Key / Slam Latch	Stainless Steel Square Drive Key / Slam Latch	

Waste Stream Graphics

metroSTOR door systems with color-coding, graphics, symbols and stream specific aperture restrictors enable organizations to customize to their specific waste diversion process. This modular system that can be retrofitted or changed up as initiatives develop and new legislation is introduced.

Example Signage



