



metroSTOR RC-Series On-Street Trash & Recycling Enclosures (Top Load)


Designed as a modular solution for co-located trash and recycling, the metroSTOR RC-Series accommodates a wide range of collection methods. The system is available in three variants: top-load cart units, bagged waste units, and bagged waste units with dual sided access doors, providing flexibility for both cart-based and bagged-waste collection up to 1080 L.

Top-load models provide a 16×16 loading aperture that is ideal for high traffic areas and can be specified with open, restricted or hinged-lid formats to control the type of material deposited. Bagged-waste models offer secure side access for manual bag deposit and collection, while dual sided door variants enable through-access where site layout or servicing requires it.

With the same clean space design theme and visual messaging opportunities as the larger B-Series and G-Series, metroSTOR RC-Series units support consistent waste diversion signage and color-coding. Internal deflector plates ensure that waste streams are directed cleanly into the container without material accumulating around the enclosure, supporting safer, more hygienic conditions and reducing scavenging by rodents or birds.


Manufactured in a range of model sizes, the RC-Series can house one, two or three containers depending on configuration, with capacities ranging from standard 35, 65 and 95 gal. carts through to 1080 L bagged-waste units.

Product Range




Cart(s)

Top-access deposit hatch



Bagged(s)

Bagged Waste Unit




Container(s)

Bagged Waste Unit with Dual Sided Access Doors

Product Capacity & Dimensions



Model	Description	User Deposit Access	Access	ADA Compliant	Depth (Inches)	Width (Inches)	Height (Inches)
RC 35 TH	35 gal Cart Enclosure with User Deposit Access Hatch	Top	Single	✗	30.6	27.8	44.5
RC 35 BG	135L Capacity Bagged Waste Unit	N/A	Single	N/A	—	—	—
RC 65 TH	65 gal Cart Enclosure with User Deposit Access Hatch	Top	Single	✗	32	37.6	48.2
RC 65 BG	250L Capacity Bagged Waste Unit	N/A	Single	N/A	32	37.6	48.2
RC 95 TH	95 gal Cart Enclosure with User Deposit Access Hatch	Top	Single	✗	35.1	41.3	51.9
RC 95 BG	360 L Capacity Bagged Waste Unit	N/A	Single	N/A	35.1	41.3	51.9



Model	Description	User Deposit Access	Access	ADA Compliant	Depth (Inches)	Width (Inches)	Height (Inches)
RC 70 TH	2x 35 gal Cart Enclosure with User Deposit Access Hatch	Top	Dual	✗	52.6	30.6	44.5
RC 70 BG	270L Capacity Bagged Waste Unit	N/A	Dual	N/A	52.6	30.6	44.5
RC 70 BGD	270L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	4no	N/A	52.6	30.6	44.5
RC 130 TH	2x 65 gal Cart Enclosure with User Deposit Access Hatch	Top	Dual	✗	61.1	37.6	48.2
RC 130 BG	500L Capacity Bagged Waste Unit	N/A	Dual	N/A	61.1	37.6	48.2
RC 130 BGD	500L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	4no	N/A	61.1	37.6	48.2
RC 190 TH	2x 95 gal Cart Enclosure with User Deposit Access Hatch	Top	Dual	✗	67	41.3	51.9
RC 190 BG	720 L Capacity Bagged Waste Unit	N/A	Dual	N/A	67	41.3	51.9
RC 190 BGD	720 L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	4no	N/A	67	41.3	51.9



Model	Description	User Deposit Access	Access	ADA Compliant	Depth (Inches)	Width (Inches)	Height (Inches)
RC 105 TH	3x 35 gal Cart Enclosure with User Deposit Access Hatch	Top	Triple	✗	77.2	30.6	44.5
RC 105 BG	405L Capacity Bagged Waste Unit	N/A	Triple	N/A	77.2	30.6	44.5
RC 105 BGD	405L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	6no	N/A	77.2	30.6	44.5
RC 195 TH	3x 65 gal Cart Enclosure with User Deposit Access Hatch	Top	Triple	✗	90	37.6	48.2
RC 195 BG	750L Capacity Bagged Waste Unit	N/A	Triple	N/A	90	37.6	48.2
RC 195 BGD	750L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	6no	N/A	90	37.6	48.2
RC 285 TH	3x 95 gal Cart Enclosure with User Deposit Access Hatch	Top	Triple	✗	99.2	41.3	51.9
RC 285 BG	1080 L Capacity Bagged Waste Unit	N/A	Triple	N/A	99.2	41.3	51.9
RC 285 BGD	1080 L Capacity Bagged Waste Unit with Dual Sided Access Doors	N/A	6no	N/A	99.2	41.3	51.9



Cleaner Recycling
Add waste stream apertures to help separate recycling at-source



On-The-Go Recycling
Clear space for recycling graphics with easy to use bin access



Easier for Bin Crews
Cart or pull-out container models all use wide front access doors

Product Specification & Options

Build Components	Build Specification	Standard Specification	Options
A) Unit Frames	Mild Steel Welded Assemblies	HD Galvanized	A1) Anthracite Grey PPC Finish A2) Unit Floor / Frame Panel Option
B) Unit Shell Panels	Mild Steel Assembly	Zinc Coat / Anthracite Grey Painted Finish	B1) Color PPC Finish Options
C) Unit Cover	Mild Steel Welded Assembly	Zinc Coat / Anthracite Grey Painted Finish	C1) Color PPC Finish Options C2) All Panels Graphic Wrap Option
D) Container Access	Mild Steel Assembly / Zinc Coated Mild Steel Bezel	Zinc Coated / Anthracite Grey Painted Finish Rectangular Front Aperture / No Insert	D1) Mixed Recycling Aperture Insert Option D2) Bottles & Cans Recycling Aperture Insert Option D3) Hinged Lid Option
E) Service Doors	Mild Steel Welded Assembly / Stainless Steel Hinges	Zinc Coat / Anthracite Grey Painted Finish	E1) Color PPC Finish Options E2) Recycle Stream Graphics Option
F) Service Door Access	Inset Self-Latching Bolt / Key Operated Hook Deadlock	Stainless Steel / Aluminum Self Latching Bolt / Key Operated Deadlock	F1) Mechanical Keypad Latch / Lock
G) Bin Container			G1) Galvanized Steel Lift Out Bin Container Option

Waste Stream Graphics

metroSTOR door systems with color-coding, graphics, symbols and stream specific aperture restrictors enable organizations to customize to their specific waste diversion process. This modular system that can be retrofitted or changed up as initiatives develop and new legislation is introduced.

Example Signage

